

1. IDENTIFICATION OF THE SUBSTANCE/PREPARATION AND THE COMPANY/UNDERTAKING

Identification of the substance/preparation: Nitrogen (Refrigerated)
Chemical formula : N₂
Synonyms : Nitrogen (refrigerated), Liquid Nitrogen, LIN, Cryogenic Liquid Nitrogen, Nitrogen
Use of the Substance/Preparation: General Industrial
Manufacturer/Importer/Distributor: CryoService Ltd
Warndon Business Park
Worcester
Email Address – Technical: info@cryoservice.co.uk
Telephone: +44(0)1905 758300
Emergency telephone number: (24h): +44(0)1905 758300

2. HAZARDS IDENTIFICATION

Classification

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC.
No EC labelling required.

Emergency Overview

Extremely cold liquid and gas under pressure.
Direct contact with liquid can cause frostbite.
Can cause rapid suffocation.
Avoid breathing gas.
Self contained breathing apparatus (SCBA) may be required.

Potential Health Effects

Inhalation: In high concentrations may cause asphyxiation. Symptoms may include loss of mobility/consciousness. Victim may not be aware of asphyxiation. Asphyxiation may bring about unconsciousness with out warning and so rapidly that victim may be unable to protect themselves.

Eye contact: Contact with liquid may cause cold burns/frost bite.

Skin contact: Contact with liquid may cause cold burns/frost bite. May cause severe frost bite.

Ingestion: Ingestion is not considered a potential route of exposure.

Chronic Health Hazard: Not applicable.

Aggravated Medical Condition: None.

Target Organs: None.

Symptoms: Exposure to oxygen deficient atmosphere may cause the following symptoms: Dizziness. Salivation. Nausea. Vomiting. Loss of mobility/consciousness.

3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance/Preparation: Substance

Components	EINECS / ELINCS Number	CAS Number	Concentration (volume)	Classification
Nitrogen	231-783-9	7727-37-9	100 %	

Concentration is nominal. For the exact product composition, please refer to CryoService technical specifications.

4. FIRST AID MEASURES

General advice:	Remove victim to uncontaminated area wearing self contained breathing apparatus. Keep victim warm and rested. Call a doctor. Apply artificial respiration if breathing stopped.
Eye contact:	In the case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Keep eye wide open while rinsing.
Skin contact:	In case of frostbite, obtain medical treatment immediately. Wash frost-bitten areas with plenty of water. Do not remove clothing. Do not rub frozen parts as tissue damage may result. Cover wound with sterile dressing. As soon as practical, place the affected area in a warm water bath- which has a temperature not to exceed 40°C (105 °F).
Ingestion:	Ingestion is not considered a potential route of exposure.
Inhalation:	Move to fresh air. If breathing has stopped or is labored, give assisted respirations. Supplemental oxygen may be indicated. If the heart has stopped, trained personnel should begin cardiopulmonary resuscitation immediately. In case of shortness of breath, give oxygen.

5. FIRE-FIGHTING MEASURES

Suitable extinguishing media:	All known extinguishing media can be used.
Specific hazards:	Spill will rapidly vaporize forming an oxygen deficient vapor cloud. Vapor cloud may obscure visibility. Product is non flammable and does not support combustion. Do not direct water spray at container vent. Move away from container and cool with water from a protected position. Keep containers and surroundings cool with water spray.
Special protective equipment for fire-fighters:	Wear self contained breathing apparatus for fire fighting if necessary.

6. ACCIDENTAL RELEASE MEASURES

Personal precautions:	Evacuate personnel to safe areas. Ventilate the area. Monitor oxygen level. Wear self-contained breathing apparatus when entering the area unless atmosphere is proved to be safe.
Environmental precautions:	Prevent further leakage or spillage. Prevent from entering sewers, basements and workpits, or any place where its accumulation can be dangerous. Do not discharge into any place where its accumulation could be dangerous.
Methods for cleaning up:	Ventilate the area.
Additional advice:	If possible, stop flow of product. Increase ventilation to the release area and monitor oxygen level. Vapor cloud may obscure visibility. Do not spray water directly at leak. If leak is from container or container valve, call the CryoService emergency telephone number. If the leak is in the user's system, close the supply valve and safely vent the pressure before attempting repairs.

7. HANDLING AND STORAGE

Handling

Know and understand the properties and hazards of the product before use. Only experienced and properly instructed persons should handle compressed gases. Before using the product, determine its identity by reading the label. Do not remove or deface labels provided by the supplier for the identification of the cylinder contents. Before connecting the container, check the complete gas system for suitability, particularly for pressure rating and materials. Before connecting the container for use, ensure that back feed from the system into the container is prevented. Close container valve after each use and when empty, even if still connected to equipment. Never attempt to repair or modify container valves or safety relief devices. Damaged valves should be reported immediately to the supplier. If user experiences any difficulty operating container valve discontinue use and contact supplier. Do not remove or interchange connections or use adapters. Ensure the complete gas system has been checked for leaks before use.

Prevent entrapment of cryogenic liquid in closed systems not protected with relief device. When moving containers, even for short distances, use a cart (trolley, hand truck, etc.) designed to transport containers. When doubt exists as to the correct handling procedure for a particular gas, contact the supplier. Employ suitable pressure regulating devices on all containers when the gas is being emitted to systems with lower pressure rating than that of the container. Do not subject containers to abnormal mechanical shocks which may cause damage to their valve or safety devices. Only transfer lines designed for cryogenic liquids shall be used.

Storage

Do not allow storage temperature to exceed 50°C (122°F). Containers should be stored in a designated area which should be well ventilated, preferably in the open air. Where this is not possible fixed Oxygen depletion monitors or permanent forced air ventilation should be considered. Full containers should be stored so that oldest stock is used first. Do not store in a confined space. Store containers in location free from fire risk and away from sources of heat and ignition. Stored containers should be periodically checked for general condition and leakage. Containers should not be stored in conditions likely to encourage corrosion. All vents should be piped to the exterior of the building. Cryogenic containers are equipped with pressure relief devices to control internal pressure. Under normal conditions these containers will periodically vent product. Observe all regulations and local requirements regarding storage of containers.

8. EXPOSURE CONTROLS / PERSONAL PROTECTION

Engineering measures

Natural or mechanical ventilation to prevent oxygen deficient atmospheres below 19.5% oxygen.
If indicated in a risk assessment keep self contained breathing apparatus readily available for emergency use.

Personal protective equipment

Respiratory protection:	Not required provided use is in a well ventilated area and/or protected by monitoring equipment.
Hand protection:	Loose fitting thermal insulated or leather gloves. The breakthrough time of the selected glove(s) must be greater than the intended use period.
Eye protection:	Safety glasses recommended when handling pressurised containers. Protect eyes, face and skin from liquid splashes.
Skin and body protection:	Never allow any unprotected part of the body to touch uninsulated pipes or vessels which contain cryogenic fluids. The extremely cold metal will cause the flesh to stick fast and tear when one attempts to withdraw from it. Safety shoes are recommended when handling containers.
Special instructions for protection and hygiene:	Ensure adequate ventilation, especially in confined areas.

9. PHYSICAL AND CHEMICAL PROPERTIES

Form:	Liquefied gas.
Color:	Colorless.
Odor:	No odor warning properties.
Molecular Weight:	28 g/mol
Relative vapor density:	0.97 (air = 1)
Relative density:	0.8 (water = 1)
Vapor pressure:	Not applicable.
Boiling point/range:	-196 °C (-321 °F)
Critical temperature:	-147 °C (-233 °F)
Melting point/range:	-210 °C
Water solubility:	0.02 g/l

10. STABILITY AND REACTIVITY

Stability:	Stable under normal conditions.
Materials to avoid:	Carbon steel.

11. TOXICOLOGICAL INFORMATION

Acute Health Hazard

Ingestion:	No data is available on the product itself.
Inhalation:	No data is available on the product itself.
Skin:	No data is available on the product itself.

12. ECOLOGICAL INFORMATION

Ecotoxicity effects

Aquatic toxicity:	Not applicable.
Toxicity to other organisms:	Not applicable.

Persistence and degradability

Mobility:	No data available.
Bioaccumulation:	No data is available on the product itself.

13. DISPOSAL CONSIDERATIONS

Waste from residues / unused products:	Return unused product in original container to supplier. Contact supplier if guidance is required.
Contaminated packaging:	Return container to supplier.

14. TRANSPORT INFORMATION

ADR

Proper shipping name:	NITROGEN, REFRIGERATED LIQUID
Class:	2.2
UN/ID No:	UN1977
ADR/RID Hazard ID No:	22

IATA

Proper shipping name:	NITROGEN, REFRIGERATED LIQUID
Class:	2.2
UN/ID No:	UN1977

IMDG

Proper shipping name:	NITROGEN, REFRIGERATED LIQUID
Class:	2.2
UN/ID No:	UN1977

RID

Proper shipping name:	NITROGEN, REFRIGERATED LIQUID
Class:	2.2
UN/ID No:	UN1977

Further Information

Avoid transport on vehicles where the load space is not separated from the driver's compartment by a gas tight bulk head. Ensure vehicle driver is aware of the potential hazards of the load and knows what to do in the event of an accident or an emergency. The transportation information is not intended to convey all specific regulatory data relating to this material. For complete transportation information, contact CryoService.

15. REGULATORY INFORMATION**Labelling according to EEC Directive**

R-phrase(s):

Not a hazardous substance or preparation according to EC-directives 67/548/EEC or 1999/45/EC.

No EC labelling required.

Country	Regulatory List	Notification
USA	TSCA	Included on Inventory
EU	EINECS	Included on Inventory
Canada	DSL	Included on Inventory
Australia	AICS	Included on Inventory
South Korea	ECL	Included on Inventory
China	SEPA	Included on Inventory
Philippines	PICCS	Included on Inventory
Japan	ENCS	Included on Inventory

WGK Identification Number: Not water endangering.

16. OTHER INFORMATION

Ensure all national/local regulations are observed.

Prepared by: CryoService Limited

For additional information, please visit our web site at
<http://www.cryoservice.co.uk>

This Safety Data Sheet has been established in accordance with the applicable European Directives and applies to all countries that have translated the Directives in their national laws.

Details given in this document are believed to be correct at the time of going to press. Whilst proper care has been taken in the preparation of this document, no liability for injury or damage resulting from its use can be accepted.